


NORCOLD					NOVA 																
MODEL#	VOL	HEIGHT	WIDTH	DEPTH	MODEL#	VOL	HEIGHT	WIDTH	DEPTH		MODEL#	VOL	HEIGHT	WIDTH	DEPTH	MODEL#	VOL	HEIGHT	WIDTH	DEPTH	
DC0051	2.7	20 1/2	18 1/2	21	R2600 *	2.4	20 1/4	18	19 1/2												
DC230	1.7	20	15	18	R1900 *	1.9	20 5/8	15 5/8	17 3/4	OR	R1600	1.3	20 5/8	15 5/8	13 3/4						
DC254	1.9	20 1/4	17 3/4	20 3/8	R2600 *	2.4	20 1/4	18	19 1/2												
DC340	1.7	20 1/2	15 1/4	17 3/4	R1900 *	1.9	20 5/8	15 5/8	17 3/4	OR	R1600	1.3	20 5/8	15 5/8	13 3/4						
DE0040	1.7	20 1/2	15 1/4	17 3/4	R1900 *	1.9	20 5/8	15 5/8	17 3/4	OR	R1600	1.3	20 5/8	15 5/8	13 3/4						
DE0041	3.6	30 7/8	23 1/4	23 1/2	R5810*	5.8	31 3/4	23 1/8	23 3/4	OR	R4500 *	4.3	28 3/8	20 1/4	21						
DE0051	2.7	20 1/2	18 1/2	21	R2600 *	2.4	20 1/4	18	19 1/2												
DE0061	7	52 7/8	23 1/4	24 3/4	RFU9000 *	9.1	52 7/8	23 1/4	22 3/4	OR	RFU8220	7.3	52 7/8	23 1/4	19 1/2						
DE251	1.9	20 1/4	17 3/4	20 3/8	R2600 *	2.4	20 1/4	18	19 1/2												
DE351	1.9	20 1/2	18 1/2	21	R2600 *	2.4	20 1/4	18	19 1/2												
DE390	2.8	30 7/8	20 1/2	20 1/8	R4500 *	4.3	28 3/8	20 1/4	21	OR	R3800 *	3.5	28 3/8	20 1/4	18						
DE400	2.8	30 3/8	20 1/2	20 3/4	R4500 *	4.3	28 3/8	20 1/4	21	OR	R3800 *	3.5	28 3/8	20 1/4	18						
DE440	1.6	20 1/2	15 1/4	17 3/4	R1900 *	1.9	20 5/8	15 5/8	17 3/4	OR	R1600	1.3	20 5/8	15 5/8	13 3/4						
DE441	3.1	30 7/8	23 1/4	23 1/2	R5810*	5.8	31 3/4	23 1/8	23 3/4	OR	R4500 *	4.3	28 3/8	20 1/4	21						
or DE441	3.1	30 7/8	23 1/4	23 1/2	R5810*	5.8	31 3/4	23 1/8	23 3/4	OR	R4500 *	4.3	28 3/8	20 1/4	21						
DE451	1.9	20 1/2	18 1/2	21	R2600 *	2.4	20 1/4	18	19 1/2												
DE461	6.3	52 7/8	23 1/4	23 3/4	RFU9000 *	9.1	52 7/8	23 1/4	22 3/4	OR	RFU8220	7.3	52 7/8	23 1/4	19 1/2						
DE490	2.8	30 7/8	20 1/2	20 1/8	R4500 *	4.3	28 3/8	20 1/4	21	OR	R3800 *	3.5	28 3/8	20 1/4	18						
DE540	3.1	30 7/8	23 1/8	23 1/4	R5810*	5.8	31 3/4	23 1/8	23 3/4	OR	R4500 *	4.3	28 3/8	20 1/4	21						
DE541	3.1	30 7/8	23 7/8	23 1/4	R5810*	5.8	31 3/4	23 1/8	23 3/4	OR	R4500 *	4.3	28 3/8	20 1/4	21						
or DE541	3.1	30 7/8	23 1/4	23 1/2	R5810*	5.8	31 3/4	23 1/8	23 3/4	OR	R4500 *	4.3	28 3/8	20 1/4	21						
DE560	6.3	52 1/2	23 1/8	23 1/4	RFU9000 *	9.1	52 7/8	23 1/4	22 3/4	OR	RFU8220	7.3	52 7/8	23 1/4	19 1/2						
DE561	6.3	52 7/8	23 1/4	23 3/4	RFU9000 *	9.1	52 7/8	23 1/4	22 3/4	OR	RFU8220	7.3	52 7/8	23 1/4	19 1/2						
DE704	3.2	32 7/8	22	21 7/8	R4500 & FRAME704	4.3	28 3/8	20 1/4	21	OR	R5810*	5.8	31 3/4	23 1/8	23 3/4						
DE728	6.2	51 7/8	23 15/16	23	RFU9000 *	9.1	52 7/8	23 1/4	22 3/4	OR	RFU8220	7.3	52 7/8	23 1/4	19 1/2	RFU8320	7.3	45 1/2	23 1/4	21 3/4	
DE828	6.2	51 7/8	23 15/16	23	RFU9000 *	9.1	52 7/8	23 1/4	22 3/4	OR	RFU8220	7.3	52 7/8	23 1/4	19 1/2	RFU8320	7.3	45 1/2	23 1/4	21 3/4	

* CHOOSE VOLTAGE OPTION DC ONLY OR AC/DC

RFU8220 AND RFU9000 BOTH HAVE EASILY REMOVED MOUNTING FLANGES THAT REDUCE DEPTH BY 3/4" TO GET THRU TIGHT SPOTS

RFU8220 IS IDEAL FOR APPLICATIONS WHERE CLEARANCE THRU DOORWAYS ETC IS LIMITED TO GET UNIT INTO BOAT

RFU8320 IS IDEAL FOR APPLICATIONS WHERE CUT OUT HEIGHT CANNOT BE INCREASED TO 52 7/8" FROM ORIGINAL 51 7/8" (DE828/728)

FRAME704 WHEN USED IN CONJUNCTION WITH R4500 OR R3800 TO REPLACE THE DE704